BOQ No	Description Of Item of work	Nos	Measurements					Sub Qty	Total Qty	Unit
			Length	Breath			Depth			
1	3	4 & 5	6	7			8	9	10	11
		1	3.30	5.50	+	5.50	0.225	4.084		
				2						
	ROAD-11	1	15.00	5.80	+	4.70	0.225	17.719		
				2						
		1	30.00	4.70	+	4.50	0.225	31.050		
				2						
		1	30.00	4.50	+	4.15	0.225	29.194		
				2						
		1	30.00	4.15	+	4.60	0.300	39.375		
				2						
	ROAD-10BWSSB CUT PORTION	1	34.00	1.50	+	1.50	0.300	15.300		
				2						
		1	32.00	1.50	+	1.50	0.300	14.400		
				2						
		1	30.00	1.50	+	1.50	0.300	13.500		
				2						
		1	30.00	1.50	+	1.50	0.300	13.500		
				2						
		1	30.00	1.50	+	1.50	0.300	13.500		
				2						
		1	35.00	1.50	+	1.50	0.300	15.750		
				2						
		1	42.00	1.50	+	1.50	0.300	18.900		
				2						
		1	20.00	1.50	+	1.50	0.300	9.000		
				2						
	CC ROAD									
	ROAD-1	1	30.00	4.80	+	4.30	0.100	13.650		
				2						
		1	30.00	4.30	+	3.55	0.100	11.775		
				2						
		1	41.00	3.55	+	3.80	0.100	15.068		
				2						
	ROAD-12	1	10.80	4.50	+	4.90	0.100	5.076		
				2						
	ROAD-13	1	30.00	3.00	+	3.10	0.100	9.150		
				2						
		1	10.00	3.10	+	3.00	0.100	3.050		
				2						
	Total Qty(UPTO 125% OF TQ=125%*468.78=585.975CUM)							471.392	471.392	Cum

Checked & Measured by me
ಸ.ಇ.ಪಾ.ಪಾ.ಇ.
ಬಾಗಲಗುಂಟೆ

Assistant Engineer-14
16/3/20

Assistant Executive Engineer
T Dasarahalli Sub-Division
BBMP
ಬಾಗಲಗುಂಟೆ. ಬಿ.ಬಿ.ಎಂ.ಪಿ
ಬೆಂಗಳೂರು 560073

SOQ No	Description Of Item of work	Nos		Measurements Length	Breath	Depth	Sub Qty	Total Qty	Unit
1	3	4	5	6	7	8	9	10	11
asurement continued on:-		18	3	20					
	Constructing un-reinforced, plain cement concrete for pavements using Grade concrete M30 over a prepared base with OPC coarse aggregate at 0.69 cum, fine aggregates at 0.46 cum,Coarse and fine aggregate conforming to18:383-2016, with Superplastizer at 3 its conforming to IS 9103-2008. mixed in a concrete mixer of not less than 0.6 cum capacity and appropriate weigh batcher as per approved mix design, laid in approved fixed side form work (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the form work as per drawing). & Spreading the concrete with shovels, rackers compacted using								
16	needle, screed and plate vibrator and finished with floaters in a continuous operation including provision of contraction, expansion, construction and longitudinal joints, including groove cutting charges, joint filler, separation membrane of impermiable plastic sheet of 125 micron, sealant primer, joint sealant, admixtures as approved, curing compound, finishing to lines and grades,textured with texturing machine, and curing including cost of all materials, labour,hire charges of machineries,all lead & lift charges etc., complete as per specifications. -do- with OPC at 360 kg/cum and coarse aggregate 0.69cum, fine aggregate 0.46cum. All lead and lift complete as per specification and as per the directon of the engineer in charge of the site.								
	CC ROAD								
	ROAD-1	1	30.00	4.80 + 4.30 / 2		0.160	21.840		
		1	30.00	4.30 + 3.55 / 2		0.160	18.840		
		1	41.00	3.55 + 3.80 / 2		0.160	24.108		
	ROAD-12	1	10.80	4.50 + 4.90 / 2		0.160	8.122		
	ROAD-13	1	30.00	3.00 + 3.10 / 2		0.160	14.640		
		1	10.00	3.10 + 3.00 / 2		0.160	4.880		
				Total Qty			92.430	92.430	Cum
	KSRRB 500-2. Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old								
17	gunny bags and/or compressed air to receive bituminous treatment including cost of all materials, labour, HOM complete as per specifications. Clause 501 of MORTH V revision								
	ROAD-10	1	30.00	7.00 + 6.20 / 2			198.000		
		1	30.00	6.20 + 6.20 / 2			186.000		
		1	30.00	6.20 + 7.00 / 2			198.000		
		1	30.00	7.00 + 6.90 / 2			208.500		
		1	30.00	6.90 + 6.90 / 2			207.000		
		1	30.00	6.90 + 5.10 / 2			180.000		
	BWSSB CUT PORTION	1	34.00	5.10 + 5.20 / 2			175.100		
		1	32.00	5.20 + 4.70 / 2			158.400		
		1	30.00	4.70 + 5.80 / 2			157.500		

ಸ.ಕಾ.ಪಾ.ಇ. ಬಾಗಲಗುಂಟೆ

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಜ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ
ಬಾಗಲಗುಂಟೆ. ಜಿ.ಬಿ.ಎ.ಪಿ.

BOQ No	Description Of Item of work	Nos	Measurements					Sub Qty	Total Qty	Unit
			Length	Breath			Depth			
1	3	4 to 5	6	7			8	9	10	11
		1	30.00	5.80	+	5.10		163.500		
				2						
		1	30.00	5.10	+	4.00		136.500		
				2						
		1	35.00	4.00	+	4.80		154.000		
				2						
		1	42.00	4.80	+	5.20		210.000		
				2						
		1	20.00	5.20	+	5.60		108.000		
				2						
	ROAD-10	1	30.00	7.00	+	6.20		198.000		
				2						
		1	30.00	6.20	+	6.20		186.000		
				2						
		1	30.00	6.20	+	7.00		198.000		
				2						
		1	30.00	7.00	+	6.90		208.500		
				2						
		1	30.00	6.90	+	6.90		207.000		
				2						
		1	30.00	6.90	+	5.10		180.000		
				2						
			Total Qty					3618.000	3618.000	Sqm
18	KSRRB M500-6. Providing and applying primer coat with S.S. bitumen emulsion on prepared surface of granular base such as WMM including cleaning of road surface and spraying primer at the rate of 0.60 kg / sqm using mechanical means complete as per specifications. Clause 502 of MORTH V revision. All lead and lift complete as per specification and as per the directon of the engineer in charge of the site.									
	ROAD-10	1	30.00	7.00	+	6.20		198.000		
				2						
		1	30.00	6.20	+	6.20		186.000		
				2						
		1	30.00	6.20	+	7.00		198.000		
				2						
		1	30.00	7.00	+	6.90		208.500		
				2						
		1	30.00	6.90	+	6.90		207.000		
				2						
		1	30.00	6.90	+	5.10		180.000		
				2						
	ROAD-10BWSSB CUT PORTION	1	34.00	1.50	+	1.50		51.000		
				2						
		1	32.00	1.50	+	1.50		48.000		
				2						
		1	30.00	1.50	+	1.50		45.000		
				2						
		1	30.00	1.50	+	1.50		45.000		
				2						
		1	30.00	1.50	+	1.50		45.000		
				2						
		1	35.00	1.50	+	1.50		52.500		

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರ
ಜ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ

BOQ No	Description Of Item of work	Nos	Measurements: Length	Breath			Depth	Sub Qty	Total Qty	Unit
1	3	4 5	6	7			8	9	10	11
				2						
		1	42.00	1.50	+	1.50		63.000		
				2						
		1	20.00	1.50	+	1.50		30.000		
				2						
	NEW ROAD FORMATION									
	ROAD-4	1	30.00	5.45	+	5.20		159.750		
				2						
		1	14.00	5.20	+	4.90		70.700		
				2						
	DEDUCTION DUE TO CD	-1	1.20	6.00	+	6.00		-7.200		
				2						
	ROAD-5	1	30.00	4.50	+	4.40		133.500		
				2						
		1	30.00	4.40	+	4.15		128.250		
				2						
		1	15.00	4.15	+	4.50		64.875		
				2						
	ROAD-8	1	26.00	6.60	+	6.40		169.000		
				2						
		1	12.00	6.40	+	5.90		73.800		
				2						
		1	3.30	5.50	+	5.50		18.150		
				2						
	ROAD-9	1	15.00	5.80	+	4.70		78.750		
				2						
		1	30.00	4.70	+	4.50		138.000		
				2						
		1	30.00	4.50	+	4.15		129.750		
				2						
		1	30.00	4.15	+	4.60		131.250		
				2						
	Total Qty							2845.575		
	Limiting Total Qty(UPTO 125% OF TQ=125%*1839.00=2298.75SQM)							2298.750	2298.750	SQM
19	KSRRB 500-9. Providing and applying tack coat using 80/100 grade bitumen (VG10) on granular base such as WBM surfaces hot bitumen primed at 4 kg per 10 sqm, heating bitumen in boiler fitted with spray set (excluding cleaning of road surface) including cost of all materials, labour, HOM of machineries complete as per specifications. Clause 503 of MORTH V revision. All lead and lift complete as per specification and as per the directon of the engineer in charge of the site.									
	ROAD-10	1	30.00	7.00	+	6.20		198.000		
				2						
		1	30.00	6.20	+	6.20		186.000		
				2						
		1	30.00	6.20	+	7.00		198.000		
				2						
		1	30.00	7.00	+	6.90		208.500		
				2						
		1	30.00	6.90	+	6.90		207.000		
				2						
		1	30.00	6.90	+	5.10		180.000		

Checked & the work done

SOR No	Description Of item of work	Nos	Length	Breath			Depth	Sub Qty	Total Qty	Unit
1	3	4 | 5	6	7			8	9	10	11
				2						
	ROAD-10BWSSB CUT PORTION	1	34.00	1.50	+	1.50		51.000		
				2						
		1	32.00	1.50	+	1.50		48.000		
				2						
		1	30.00	1.50	+	1.50		45.000		
				2						
		1	30.00	1.50	+	1.50		45.000		
				2						
		1	30.00	1.50	+	1.50		45.000		
				2						
		1	35.00	1.50	+	1.50		52.500		
				2						
		1	42.00	1.50	+	1.50		63.000		
				2						
		1	20.00	1.50	+	1.50		30.000		
				2						
	NEW ROAD FORMATION									
	ROAD-4	1	30.00	5.45	+	5.20		159.750		
				2						
		1	14.00	5.20	+	4.90		70.700		
				2						
	DEDUCTION DUE TO CD	-1	1.20	6.00	+	6.00		-7.200		
				2						
	ROAD-5	1	30.00	4.50	+	4.40		133.500		
				2						
		1	30.00	4.40	+	4.15		128.250		
				2						
		1	15.00	4.15	+	4.50		64.875		
				2						
	ROAD-8	1	26.00	6.60	+	6.40		169.000		
				2						
		1	12.00	6.40	+	5.90		73.800		
				2						
		1	3.30	5.50	+	5.50		18.150		
				2						
	ROAD-11	1	15.00	5.80	+	4.70		78.750		
				2						
		1	30.00	4.70	+	4.50		138.000		
				2						
		1	30.00	4.50	+	4.15		129.750		
				2						
		1	30.00	4.15	+	4.60		131.250		
				2						
	Total Qty							2845.575		
	Limiting Total Qty(UPTO 125% OF TQ=125%*1839.00=2298.75SQM)							2298.750	2298.750	Cum

Checked all

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತ
ಇ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ
ಬಾಗಲಗುಂಟೆ. ಜಿ.ಜಿ.ಎಂ.ಪಿ.

SOR No	Description Of Item of work	Nos		Measurements							
				Length	Breath			Depth	Sub Qty	Total Qty	Unit
1	3	4	5	6	7			8	9	10	11
20	ISRRB 500-7. Providing and applying tack coat using 80/100 grade bitumen (VG10) on the prepared black topped surfeces at 2.5 kg per 10 sqm, heating bitumen in boiler fitted with spray set (excluding cleaning of road surface) including cost of all materials, labour, HOM of machineries complete as per specifications. Clause 503 of MORTH V revision. All lead and lift complete as per specification and as per the directon of the engineer in charge of the site.										
	ROAD-10	1	30.00	7.00	+	6.20			198.000		
					2						
		1	30.00	6.20	+	6.20			186.000		
					2						
		1	30.00	6.20	+	7.00			198.000		
					2						
		1	30.00	7.00	+	6.90			208.500		
					2						
		1	30.00	6.90	+	6.90			207.000		
					2						
		1	30.00	6.90	+	5.10			180.000		
					2						
	BWSSB CUT PORTION	1	34.00	5.10	+	5.20			175.100		
					2						
		1	32.00	5.20	+	4.70			158.400		
					2						
		1	30.00	4.70	+	5.80			157.500		
					2						
		1	30.00	5.80	+	5.10			163.500		
					2						
		1	30.00	5.10	+	4.00			136.500		
					2						
		1	35.00	4.00	+	4.80			154.000		
					2						
		1	42.00	4.80	+	5.20			210.000		
					2						
		1	20.00	5.20	+	5.60			108.000		
					2						
	NEW ROAD FORMATION										
	ROAD-4	1	30.00	5.45	+	5.20			159.750		
					2						
		1	14.00	5.20	+	4.90			70.700		
					2						
	DEDUCTION DUE TO CD	-1	1.20	6.00	+	6.00			-7.200		
					2						
	ROAD-5	1	30.00	4.50	+	4.40			133.500		
					2						
		1	30.00	4.40	+	4.15			128.250		
					2						
		1	15.00	4.15	+	4.50			64.875		
					2						
		1	26.00	6.60	+	6.40			169.000		
					2						
		1	12.00	6.40	+	5.90			73.800		
					2						

Checked and found correct
ಸ.ಕಾ.ಪಾ.ಅ. ಬಾಗಲಗುಂಟೆ

ಸ.ಕಾ.ಪಾ.ಅ. ಬಾಗಲಗುಂಟೆ

BSQ No	Description Of item of work	Nos	Measurements					Sub Qty	Total Qty	Unit
			Length	Breath			Depth			
	3	4 \ 5	6	7			8	9	10	11
1		1	3.30	5.50	+	5.50		18.150		
				2						
	ROAD-11	1	15.00	5.80	+	4.70		78.750		
				2						
		1	30.00	4.70	+	4.50		138.000		
				2						
		1	30.00	4.50	+	4.15		129.750		
				2						
		1	30.00	4.15	+	4.60		131.250		
				2						
	ROAD FROM 2-7	1	37.40	4.80	+	5.30		188.870		
				2						
		1	30.00	5.30	+	4.45		146.250		
				2						
		1	30.00	4.45	+	4.70		137.250		
				2						
		1	35.00	4.70	+	4.50		161.000		
				2						
		1	23.00	4.30	+	4.50		101.200		
				2						
		1	30.00	4.50	+	5.00		142.500		
				2						
	Total Qty							4606.145	4606.145	Cum
2	KSRRB M500-17. Providing and laying dense graded bituminous macadam using crushed aggregates of specified grading, premixed with VG30 grade bituminous binder and, transporting the hot mix towork site, laying to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction in all respects complete as per specifications. Clause 505 of MORTH V revision - do - using 40/60 TPH capacity H.M.P. with Mechanical paver Gr-II (50 mm to 75 mm) with 4.5 % VG-30 Bitumen. All lead and lift complete as per specification and as per the directon of the engineer in charge of the site.									
	ROAD-10	1	30.00	7.00	+	6.20	0.050	9.900		
				2						
		1	30.00	6.20	+	6.20	0.050	9.300		
				2						
		1	30.00	6.20	+	7.00	0.050	9.900		
				2						
		1	30.00	7.00	+	6.90	0.050	10.425		
				2						
		1	30.00	6.90	+	6.90	0.050	10.350		
				2						
		1	30.00	6.90	+	5.10	0.050	9.000		
				2						
	BWSSB CUT PORTION	1	34.00	5.10	+	5.20	0.050	8.755		
				2						
		1	32.00	5.20	+	4.70	0.050	7.920		
				2						
		1	30.00	4.70	+	5.80	0.050	7.875		
				2						
			30.00	5.80	+	5.10	0.050	8.175		
				2						

SQ No	Description Of item of work	Nos	Measurements					Sub Qty	Total Qty	Unit
			Length	Breath			Depth			
1	3	4	5	6	7		8	9	10	11
		1	30.00	5.10 + 4.00 / 2			0.050	6.825		
		1	35.00	4.00 + 4.80 / 2			0.050	7.700		
		1	42.00	4.80 + 5.20 / 2			0.050	10.500		
		1	20.00	5.20 + 5.60 / 2			0.050	5.400		
	ROAD-4	1	30.00	5.45 + 5.20 / 2			0.050	7.988		
		1	14.00	5.20 + 4.90 / 2			0.050	3.535		
	DEDUCTION DUE TO CD	-1	1.20	6.00 + 6.00 / 2			0.050	-0.360		
	ROAD-5	1	30.00	4.50 + 4.40 / 2			0.050	6.675		
		1	30.00	4.40 + 4.15 / 2			0.050	6.413		
		1	15.00	4.15 + 4.50 / 2			0.050	3.244		
	ROAD-8	1	26.00	6.60 + 6.40 / 2			0.050	8.450		
		1	12.00	6.40 + 5.90 / 2			0.050	3.690		
		1	3.30	5.50 + 5.50 / 2			0.050	0.908		
	ROAD-11	1	15.00	5.80 + 4.70 / 2			0.050	3.938		
		1	30.00	4.70 + 4.50 / 2			0.050	6.900		
		1	30.00	4.50 + 4.15 / 2			0.050	6.488		
		1	30.00	4.15 + 4.60 / 2			0.050	6.563		
	ROAD FROM 2-7	1	37.40	4.80 + 5.30 / 2			0.050	9.444		
		1	30.00	5.30 + 4.45 / 2			0.050	7.313		
		1	30.00	4.45 + 4.70 / 2			0.050	6.863		
		1	35.00	4.70 + 4.50 / 2			0.050	8.050		
		1	23.00	4.30 + 4.50 / 2			0.050	5.060		
		1	30.00	4.50 + 5.00 / 2			0.050	7.125		
	Total Qty							230.307	230.307	Cum

ಸ. ಕಾ. ಖಾ. ಅ. ಬಾಗಲಗುಂಟೆ

Checked

ಸ. ಕಾ. ಖಾ. ಅ. ಬಾಗಲಗುಂಟೆ

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಐ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ
ಬಾಗಲಗುಂಟೆ. ಜಿ.ಜಿ.ಎಂ.ಪಿ.

Description Of Item of work	Nos		Measurements Length	Breath	Depth	Sub Qty	Total Qty	Unit
3	4	5	6	7	8	9	10	11
Carried forward continued on:- 22/3/22								
KSRRB M800-1. Painting two coats after filling the surface with synthetic enamel paint in approved shades on new plastered concrete surfaces, with materials, labour complete as per specifications,MORTH Chapter 8. All lead and lift complete as per specification and as per the directon of the engineer in charge of the site.								
KERB STONE PAINTING								
ROAD-1	1	1	121.00	0.35		42.350		
ROAD-2 LS	1	1	151.00	0.35		52.850		
ROAD-2 RS	1	1	10.00	0.35		3.500		
ROAD-3 BS	1	1	121.00	0.35		42.350		
ROAD-4 STARTING POINT	1	1	151.00	0.35		52.850		
ROAD-7 LS	1	1	10.00	0.35		3.500		
ROAD-7 RS	1	1	121.00	0.35		42.350		
ROAD-8-RS	1	1	151.00	0.35		52.850		
ROAD-8-LS	1	1	10.00	0.35		3.500		
ROAD-9-LS	1	1	121.00	0.35		42.350		
ROAD-13-BS	1	1	151.00	0.35		52.850		
				Total Qty		391.300	391.300	Sqm
Providing and laying bituminous concrete 40mm thick with hot mix plant, using crushed aggregates of specified grading, premixed with bituminous binder and filler, transporting the hot mix to work site, laying with a paver finisher to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction in all respects complete as per specifications.Clause 507 of MORTH V revision as per IRC SP-53-2015. -do- using 40-60 TPH capacity HMP with mechanical paver grading II(30-45mm) with 5.4% of modified bituminous binder consisting of 4.97% of VG-30 bitumen (60/70 grade) and 0.43% of plastomeric thermoplastics (waste plastic) All lead and lift complete as per specification and as per the directon of the engineer in charge of the site.								
ROAD-10	1	30.00	7.00	+ 6.20 / 2		0.040	7.920	
	1	30.00	6.20	+ 6.20 / 2		0.040	7.440	
	1	30.00	6.20	+ 7.00 / 2		0.040	7.920	
	1	30.00	7.00	+ 6.90 / 2		0.040	8.340	
	1	30.00	6.90	+ 6.90 / 2		0.040	8.280	
	1	30.00	6.90	+ 5.10 / 2		0.040	7.200	
BWSSB CUT PORTION	1	34.00	5.10	+ 5.20 / 2		0.040	7.004	
	1	32.00	5.20	+ 4.70 / 2		0.040	6.336	
	1	30.00	4.70	+ 5.80 / 2		0.040	6.300	
	1	30.00	5.80	+ 5.10 / 2		0.040	6.540	
	1	30.00	5.10	+ 4.00 / 2		0.040	5.460	
	1	35.00	4.00	+ 4.80		0.040	6.160	

ಸ.ಕಾ.ಪಾ.ಅ. ಬಾಗಲಗುಂಟೆ

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಜಿ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ

Description Of Item of work	Nos	Measurements					Sub Qty	Total Qty	Unit
		Length	Breath			Depth			
3	4 5	6	7			8	9	10	11
	1	42.00	4.80	+	5.20 / 2	0.040	8.400		
	1	20.00	5.20	+	5.60 / 2	0.040	4.320		
NEW ROAD FORMATION ROAD-4	1	30.00	5.45	+	5.20 / 2	0.040	6.390		
	1	14.00	5.20	+	4.90 / 2	0.040	2.828		
DEDUCTION DUE TO CD	-1	1.20	6.00	+	6.00 / 2	0.040	-0.288		
ROAD-5	1	30.00	4.50	+	4.40 / 2	0.040	5.340		
	1	30.00	4.40	+	4.15 / 2	0.040	5.130		
	1	15.00	4.15	+	4.50 / 2	0.040	2.595		
ROAD-8	1	26.00	6.60	+	6.40 / 2	0.040	6.760		
	1	12.00	6.40	+	5.90 / 2	0.040	2.952		
	1	3.30	5.50	+	5.50 / 2	0.040	0.726		
ROAD-11	1	15.00	5.80	+	4.70 / 2	0.040	3.150		
	1	30.00	4.70	+	4.50 / 2	0.040	5.520		
	1	30.00	4.50	+	4.15 / 2	0.040	5.190		
	1	30.00	4.15	+	4.60 / 2	0.040	5.250		
	1	37.40	4.80	+	5.30 / 2	0.040	7.555		
	1	30.00	5.30	+	4.45 / 2	0.040	5.850		
	1	30.00	4.45	+	4.70 / 2	0.040	5.490		
	1	35.00	4.70	+	4.50 / 2	0.040	6.440		
	1	23.00	4.30	+	4.50 / 2	0.040	4.048		
	1	30.00	4.50	+	5.00 / 2	0.040	5.700		
							184.246	184.246	Cum

Total Qty

Assistant Engineer

29/3/22

Assistant Executive Engineer
T. Dasarahalli Sub-Division
BBMP



ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಟಿ. ದಾಸರಹಳ್ಳಿ ಉಪ ವಿಭಾಗ
ಬಾಗಲಗುಂಟೆ, ಬಿ.ಬಿ.ಎಂ.ಪಿ.
ಬೆಂಗಳೂರು-560073.